


1. The density of water is  $1.0 \text{ g/cm}^3$ . If  $h = 20 \text{ cm}$ , the density of the oil (in  $\text{g/cm}^3$ ) in the left column of the U-tube shown below is:

0.20      0.90      1.0      1.3      5.0



2. One piston in a hydraulic lift has an area that is twice the area of the other. When the pressure at the smaller piston is increased by  $\Delta p$  the pressure at the larger piston:

increases by  $2\Delta p$       increases by  $\Delta p/2$   
increases by  $\Delta p$       increases by  $4\Delta p$       does not change

3. A boat floating in fresh water displaces 16,000 N of water. How many newtons of salt water would it displace if it floats in salt water of specific gravity 1.10?

12,800      14,400      16,000      17,600      19,200

4. An object hangs from a spring balance. The balance indicates 30 N in air, 20 N when the object is submerged in water. What does the balance indicate (in N) when the object is submerged in liquid with a density that is half of water?

20      25      30      35      40

5. The dimensions of a wooden raft (density =  $150 \text{ kg/m}^3$ ) are  $3.0 \text{ m} \times 3.0 \text{ m} \times 1.0 \text{ m}$ . What maximum load (in kg) can it carry in sea water (density =  $1020 \text{ kg/m}^3$ )?

1350      7830      9200      19,500      24,300

6. A lawn sprinkler is made of a 1.0 cm diameter garden hose with one end closed and 25 holes, each with a diameter of 0.050 cm, cut near the closed end. If water flows at 2.0 m/s in the hose, the speed (in m/s) of the water leaving a hole is:

2      32      40      600      800

7. Water is streaming downward from a faucet opening with an area of  $3.0 \times 10^{-5} \text{ m}^2$ . It leaves the faucet with a speed of 5.0 m/s. The cross sectional area (in  $10^{-5} \text{ m}^2$ ) of the stream 0.50 m below the faucet is:

1.5      2.0      2.5      3.0      3.5

8. A fluid of density  $9.1 \times 10^2 \text{ kg/m}^3$  is flowing through a tube at a speed of 5.3 m/s. What is the kinetic energy density (in  $\text{J/m}^3$ ) of the fluid?

$4.8 \times 10^3$        $1.3 \times 10^4$        $2.5 \times 10^6$

Cannot be calculated without knowing the pressure and the elevation

9. Water (density of  $1.0 \times 10^3 \text{ kg/m}^3$ ) flows downhill through a pipe of diameter 1.5 cm. Its speed at the top of the hill is 7.2 m/s. If the hill is 9.5 m high, what is the gravitational potential energy density (in  $\text{J/m}^3$ ) of the water at the top of the hill relative to the bottom?

120       $7.2 \times 10^3$        $9.5 \times 10^3$        $9.3 \times 10^4$

**10.** Water (density of  $1.0 \times 10^3 \text{ kg/m}^3$ ) flows through a horizontal tapered pipe. At the wide end its speed is 4.0 m/s. The difference in pressure between the two ends is  $4.5 \times 10^3 \text{ Pa}$ . The speed (in m/s) of the water at the narrow end is:  
2.6                  3.2                  4.0                  4.5                  **5.0**

**11.** A large tank filled with water has two holes in the bottom, one with twice the radius of the other. In steady flow the speed of water leaving the larger hole is \_\_\_\_\_ the speed of the water leaving the smaller.  
twice                  four times                  half                  one-fourth                  **the same as**

**12.** Some species of whales can dive to depths of one kilometer. What is the total pressure (in ATM) they experience at this depth?  
( $\rho_{\text{sea}} = 1020 \text{ kg/m}^3$ , and  $1 \text{ ATM} = 1.01 \times 10^5 \text{ N/m}^2$ .)  
9                  90                  **100**                  111                  130

**13.** Water is flowing at 4.0 m/s in a circular pipe. If the diameter of the pipe decreases to 1/2 its former value, what is the speed (in m/s) of the water downstream?  
1                  2                  8                  **16**                  4


**14.** What is the net force (in N) inward acting on a spherical bathysphere of diameter 2.00 m at an ocean depth of 1 000 m?  
(The pressure inside the bathysphere is 1 ATM, and  $\rho_{\text{sea}} = 1.02 \times 10^3 \text{ kg/m}^3$ .)  
 $1.26 \times 10^4$      $1.26 \times 10^4$      **$1.26 \times 10^8$**      $1.26 \times 10^{10}$      $1.26 \times 10^{12}$

**15.** How much power is theoretically available from a mass flow of 1 000 kg/s of water when it falls a vertical distance of 100 meters?  
**980 kW**                  98 kW                  4900 W                  980 W                  9600 W

**16.** A cubical box, 5.00 cm on each side, is immersed in a fluid. The gauge pressure at the top surface of the box is 594 Pa and the gauge pressure on the bottom surface is 1133 Pa. What is the density (in  $\text{kg/m}^3$ ) of the fluid?  
1000    **1100**                  1220                  2340                  12000


**17.** The weight of a car of mass  $1.20 \times 10^3 \text{ kg}$  is supported equally by the four tires, which are inflated to the same gauge pressure. What gauge pressure (in Pa) in the tires is required so the area of contact of each tire with the road is  $1.00 \times 10^2 \text{ cm}^2$ ?  
 $11.6 \times 10^5$      $11.6 \times 10^4$      **$2.94 \times 10^5$**      $2.94 \times 10^4$      $2.94 \times 10^3$

**18.** In the figure, an open tank contains a layer of oil floating on top of a layer of water (of density  $1000 \text{ kg/m}^3$ ) that is  $3.0 \text{ m}$  thick, as shown. What must be the thickness of the oil layer if the gauge pressure at the bottom of the tank is to be  $5.0 \times 10^4 \text{ Pa}$ ? Hint: [the density of the oil is  $510 \text{ kg/m}^3$ ]. **Answer: 4.12 m**



**19.** A board that is  $20.0 \text{ cm}$  wide,  $5.00 \text{ cm}$  thick, and  $3.00 \text{ m}$  long has a density  $350 \text{ kg/m}^3$ . The board is floating partially submerged in water of density  $1000 \text{ kg/m}^3$ . What fraction of the volume of the board is above the surface of the water?  
 0.350      **0.650**      zero      0.200      0.890

**20.** The two water reservoirs shown in the figure are open to the atmosphere, and the water has density  $1000 \text{ kg/m}^3$ . The manometer contains incompressible mercury with a density of  $13,600 \text{ kg/m}^3$ . What is the difference in elevation  $h$  (in m) if the manometer reading is  $25.0 \text{ cm}$ , as shown?



1.58      4.20      3.75      3.40      **3.15**


**21.** A person who weighs  $550 \text{ N}$  empties her lungs as much as possible and is then completely immersed in water (of density  $1000 \text{ kg/m}^3$ ) while suspended from a harness. Her apparent weight is now  $21.2 \text{ N}$ . What is her density (in  $\text{kg/m}^3$ )?  
 1050      **1040**      1030      960      56.1

**22.** A  $7.8\text{-kg}$  solid sphere, made of metal whose density is  $2500 \text{ kg/m}^3$ , is suspended by a cord. When the sphere is immersed in water (of density  $1000 \text{ kg/m}^3$ ), what is the tension in the cord?  
**46**      61      76      92      110

**23.** Water flowing through a pipe suddenly comes to a section of pipe where the pipe diameter decreases to 86% of its previous value. If the speed of the water in the larger section of the pipe was 36m/s, what is its speed (in m/s) in this smaller section?

49                      42                      31                      27

**24.** Water (of density  $1000 \text{ kg/m}^3$ ) flows in the horizontal pipe shown in the figure. At point A the area is  $25.0 \text{ cm}^2$  and the speed of the water is  $2.00 \text{ m/s}$ . At B the area is  $16.0 \text{ cm}^2$ . The fluid in the manometer is mercury, which has a density of  $13,600 \text{ kg/m}^3$ . What is the manometer reading  $h$  (in cm)?



0.546                      1.31                      2.81                      2.16                      3.36

**25.** A bucket resting on the floor of an elevator contains an incompressible fluid of density  $\rho$ . When the elevator has an upward acceleration  $a$  the pressure difference between two points in a fluid separated by a vertical distance  $\Delta h$ , is given by:

$\rho a \Delta h$                        $\rho g \Delta h$                        $\rho(g + a) \Delta h$                        $\rho(g - a) \Delta h$                        $\rho g a \Delta h$

**26.** A bucket resting on the floor of an elevator contains an incompressible fluid of density  $\rho$ . When the elevator has a downward acceleration of magnitude  $a$  the pressure difference between two points in a fluid, separated by a vertical distance  $\Delta h$ , is given by:

$\rho a \Delta h$                        $\rho g \Delta h$                        $\rho(g + a) \Delta h$                        $\rho(g - a) \Delta h$                        $\rho g a \Delta h$

**27.** A block of wood weighs 160 N and has a specific gravity of 0.60. To sink it in fresh water (of density  $1000 \text{ kg/m}^3$ ) requires an additional downward force of:

54                      64                      96                      107                      240

**28.** One end of a cylindrical pipe has a radius of 1.5 cm. Water (of density  $1.0 \times 10^3 \text{ kg/m}^3$ ) streams steadily out at 7.0 m/s. The volume flow rate (in  $\text{m}^3/\text{s}$ ) is:

$4.9 \times 10^{-3}$                       2.5                      4.9                      7.0                      48

**29.** One end of a cylindrical pipe has a radius of 1.5 cm. Water (of density  $1.0 \times 10^3 \text{ kg/m}^3$ ) streams steadily out at 7.0 m/s. The rate at which mass (in kg/s) is leaving the pipe is:

2.5                      4.9                      7.0                      48                       $7.0 \times 10^3$

**30.** A water line enters a house 2.0 m below ground. A smaller diameter pipe carries water to a faucet 5.0 m above ground, on the second floor. Water (of density  $1.0 \times 10^3 \text{ kg/m}^3$ ) flows at 2.0 m/s in the main line and at 7.0 m/s on the second floor. The pressure in the main line is  $2.0 \times 10^5 \text{ Pa}$ . The difference in pressure (in  $10^4 \text{ Pa}$ ) between the main line and the second floor is:

- 6.9 with the main line at the higher pressure
- 2.3 with the main line at the higher pressure
- 6.9 with the main line at the lower pressure
- 2.3 with the main line at the lower pressure
- 9.1 with the main line at the higher pressure**

**31.** A 6.1-kg solid sphere, made of metal whose density is  $2600 \text{ kg/m}^3$ , is suspended by a cord. When the sphere is immersed in a liquid of unknown density, the tension in the cord is 26 N. Find the density (in  $\text{kg/m}^3$ ) of the liquid.

- 1470**
- 1400
- 1300
- 1200
- 1100

**32.** An empty bottle has an inner volume of  $1.31 \times 10^{-4} \text{ m}^3$ . It has a mass of 112 g when filled with air, and it displaces  $1.63 \times 10^{-4} \text{ m}^3$  of water when fully submerged. What volume (in  $\text{cm}^3$ ) of mercury (of density  $13.6 \times 10^3 \text{ kg/m}^3$ ) must be added to the empty bottle so that it will just submerge?

- 3.75**
- 12.0
- 101
- 147
- 237

**33.** An iron block of density  $\rho_{Fe}$  and of volume  $l^3$  is immersed in a fluid of density  $\rho_{fluid}$ . The block hangs from a scale which reads  $W$  as the weight. The top of the block is a height  $h$  below the surface of the fluid. The correct equation for the reading of the scale is

$$W = (\rho_{Fe} - \rho_{fluid})ghl^2$$

$$W = (\rho_{fluid} - \rho_{Fe})gl^3$$

$$**W = (\rho_{Fe} - \rho_{fluid})gl^3**$$

$$W = (\rho_{Fe} + \rho_{fluid})ghl^2$$

$$W = (\rho_{Fe} + \rho_{fluid})gl^3$$