



Final
community

022



1. Which statement is correct regarding a wedge-shaped population pyramid?

- A. High birth rate, high death rate, low growth rate
- B. High birth rate and low death rate, high growth rate
- C. Typical of a developed country in evolved demographic equilibrium
- D. High birth rate and low death rate, high growth rate
- E. Typical of an underdeveloped country in primitive demographic equilibrium

Ans: D

2. Which of the following is from the indoor biological pollutants?

- A. Tobacco smoke
- B. Carbon monoxide
- C. radon
- D. Hair of pet
- E. non of the above

Ans: D

3. What is the term for eliminating any reinforcement that is maintaining a behavior?

- A. Extinction
- B. Negative reinforcement
- C. Positive reinforcement
- D. Punishment

Ans: A

4. What is the term that describes a disease that is imported into a country in which it does not otherwise occur"

- A. exotic
- B. sporadic

Ans: A

5. Which of the following is correct regarding Adam's theory?

- A) Individuals are motivated by performance and the expected outcomes of their own behaviours
- B) Individuals are motivated when they perceive that they are treated equitably in comparison to others within the organization
- C) By establishing goals and taking action to achieve those goals

Ans: B

6. In Maslow's Hierarchy of Needs, if someone achieves esteem needs, it is expected that they may not necessarily strive to achieve:

- A. Employment
- B. Belonging
- C. Affection
- D. Safety
- E. Autonomy

Ans: E

7. Which one is not an objective of MCH services?

- A. To reduce morbidity and mortality among mothers and children.
- B. To reduce the risk of STDs.
- C. To reduce domestic and sexual violence without ensuring proper management of the victims.

Ans: C

8. The most sensitive indicator for maternal health..

- A. Maternal mortality
- B. Weight pregnancy
- C. Neonatal care

Ans: A

9. Which intervention model is most effective in environmental protection:

- A. Clinical intervention,
- B. Environmental steward intervention,
- C. Public health intervention,
- D. All of the above have equal effectiveness
- E. None of the above

Ans: B

10. Among the given options, which one is classified as a secondary pollutant?

- A. SO₃
- B. SO₂
- C. NO
- D. NO₂
- E. CO

Ans: A&D (this question was deleted)

11. according to "The Adolescent Brain" activity the second rapid growing phase of brain

- A. 0-3
- B. 9-14
- C. 3-9

Ans: B

12. which one is human hazard ?

- A) microorganisms
- B) animal allergens
- C) toxic from electrical generation plants
- D) insects
- E) all are human hazard

Ans: C

13. which of the following is/are correct

I-adequacy is sufficient service to fulfill community demand

II-gender equality is one of the principles of PHC

III-comprehensive medical care covers all problems

- A. III&II
- B. II
- C. II&I
- D. III
- E. All of them are correct

Ans: D

14. occupational hazards includes?

- A. physical
- B. chemical
- C. biological
- D. psychological
- E. all of the above

Ans: E

15. which is considered a man made pollutant?

- A. power plants
- B. all pollutants are man made

Ans: A

16. which isnt a mechanical hazard?

- A. falling
- B. slipping
- C. enstranglement
- D. Ionizing radiation

Ans: E

18. Which of the following is related to stress and overwork:

- A. Deficiency of vitamin D
- B. burnout
- C. Team design

Ans: B

19. Cause of perinatal mortality (PNM):

- A. Sepsis
- B. Premature delivery
- C. cord prolaps
- D. Placental abruption
- E. All of them

Ans: E

20. What is true about low birth weight:

- A. Doesn't have higher mortality in comparison with fetuses of normal weight.
- B. They may develop hearing and visual defects.
- C. Anemia doesn't cause low birth weight.
- D. All are wrong.

Ans: B

21. Internal parts of SWOT

- A. Weaknesses & opportunities
- B. Threats & strengths
- C. strengths & weaknesses
- D. Threats & opportunities

Ans: D

22. Mission statement of the organization :

- A. Purpose
- B. Future
- C. Culture

Ans: A

23. Which of the following is an example of hygiene according to Herzberg

- A. Responsibility
- B. Work condition
- C. Achievement

Ans: B

24. What is true about health spectrum:

- A. the lowest level of health is positive health
- B. The highest level of health is death
- C. Human health is subjected to fine variations
- D. change between levels is usually sudden

Ans: C

25. One of the following is true related to poor diet and physical activity reason:
- A. Recreational screen time is one of reasons for low prevalence of both insufficient physical activity and disturbed sleep.
 - B. Males have less activity than females
 - C. Threats to adequate nutrition may relate to socioeconomic circumstances, lifestyle, eating behaviors and underlying psychosocial factors.

Ans: C

26. What is the foundation component of the framework?
- A. Responsive caregiving
 - B. Good health
 - C. Opportunities for early learning

Ans: A

27. Which of the following is correct about secondary health care:
- A. It is first referral level
 - B. It is secondary referral level
 - C. Offer super-specialist care

Ans: A

28. The challenging to diagnose PPD :
- A. It starts between 2 weeks and 6 months after delivery
 - B. Changing in sleep, appetite and excessive fatigue being routine for women after delivery
 - C. It is major depressive disorder (MDD) with specifier of postpartum onset within 1 month after childbirth

Ans: B

29. One of the following is not one of MHC services:
- A. Reducing unplanned or unwanted pregnancies
 - B. Reducing perinatal and neonatal morbidity and mortality
 - C. Reducing the risk of sexually transmitted disease
 - D. Reducing domestic and sexual violence without proper management of the victims
 - E. All of them are one of MHC services

Ans: D

30. Which of the following is the best treatment for moderately dependent and high dependent individuals:

- A. Nicotine patch and gum
- B. Varenicline
- C. Bupropion and patch

Ans: A

31. What month is the influenza vaccine taken in Jordan:

- A. September
- B. October
- C. November

Ans: B

32. Which vaccine is given to children

- A. Pcv20
- B. Pcv13
- C. Pcv15
- D. Pcv23
- E. Pcv17

Ans: c

33. The term that expresses a high level of infection beginning early in life and affecting most of the child population leading to state of equilibrium:

- A. Holoendemic
- B. Hyperendemic
- C. Endemic

Ans: A

34. Which of the following is incorrect about preeclampsia:

- A. Family history increases chances
- B. develops after 20 weeks gestation
- C. can develop into eclampsia which is epileptic spasms
- D. Systolic and diastolic blood pressure reading of >120 and >60 mmHg, respectively, one time

Ans: D

35. what is incorrect about MMR vaccine?

- A. Jordan doesn't provide it for girls and women in the vaccine plan
- B. because it is attenuated and weakened it can be safely given to pregnant women
- C. measles is an infection that commonly affects kids
- D. can cause congenital measles

Ans: B

36. which is incorrect about anemia?

- A. dilutional anemia happens when RBC production is much more than plasma production
- B. smoking and alcohol is a risk factor for anemia
- C. Folate deficiency can cause neural tube defects

Ans:A

37. A relationship cause of IPV (intimate partner violence)

- A. conflict or dissatisfaction in the family
- B. Fear of retaliation
- C. Concern for their children

Ans:A

38. what is correct about GDM?

- A. GDM is hyperglycemia that develops during first trimester
- B. GDM resolves after pregnancy
- C. family history of GDM isn't a risk factor
- D. GDM doesn't increase chances of developing type 2 diabetes

Ans: B

39. which of the following isn't an aspect of mental health dimension?

- A. free from internal conflict
- B. self aware
- C. good self control
- D. coping with stress
- E. self efficacy and self esteem

Ans: E

40. What is the correct order of stages of team development according to Tuckman model:

- A. Storming, forming, norming, performing, adjourning
- B. forming, Storming, norming, adjourning, performing
- C. forming, Storming, norming, performing, adjourning

Ans: C

41. whats considered a food contaminant?

- A. biological
- B. chemical
- C. physical
- D. all of the above
- E. food can never be contaminated if cooked well

Ans: D

42. best nicotine cessation for ischemic heart disease patient?

- A. Bupropion
- B. Patch+gum
- C. behavioral therapy

Ans: C

43. Which of the following is incorrect about ANC:

- A. In low and middle income countries, ANC utilization has increased since the introduction of the WHO ANC model, known as focused ANC (FANC)
- B. It is planned examination, observation and guidance given to the pregnant woman from conception till the time of labor
- C. The first visit or initial visit should be made as early is pregnancy as possible
- D. FANC model is associated with more maternal deaths than ANC.

Ans: D

44. Which of the following is correct about Tripod Neglet:

Ans: intersectoral collaboration

45. All of the following are correct except:

- A. The 73.3 life expectancy at birth and fertility rate is 2.8.
- B. The top two causes of death for female and male are the same in Jordan.
- C. Fertility rate is increased in Jordan.

Ans: c

46. The mean body weight was compared between sample 1 and sample 2. The SPSS output shows the results. If $\alpha = 0.1$, what is the best interpretation:

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means				
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Diff.
TIME	Equal variances assumed	.130	.729	-2.958	7	.021	-6.0000	
	Equal variances not assumed			-3.000	6.857	.020	-6.0000	

- a. We are 90% confident that there is a statistically significant difference in mean body weight between population 1 and population 2.
- b. We are 99% confident that there is a statistically significant difference in mean body weight between population 1 and population 2.
- c. We are 99% confident that there is NO difference in mean body weight between population 1 and population 2.
- d. Levene's test is significant, so assumptions were not met.
- e. Reject null hypothesis.

Ans: c

47. The best decision given the following SPSS chi-square of the relationship between age group (young, mid age adult, older adult) and depression (depressed or not depressed) is to:

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.821 ^a	2	.244
Likelihood Ratio	2.815	2	.245
Linear-by-Linear Association	.832	1	.362
N of Valid Cases	606		

- a. Reject null hypothesis.
- b. There is a statistically significant association between age group and depression.
- c. Missing data.
- d. Keep null hypothesis.

Ans: D