

# Characteristics of Skeletal Muscle Contraction

Dr. Tamara Alqudah


# Aim of the experiment

Learn some of the characteristics of skeletal muscle contraction


- ✓ Simple muscle twitch
- ✓ Summation
- ✓ Tetanization
- ✓ Fatigue
- ✓ Treppe phenomenon

# Simple Muscle Twitch

- Muscle twitch, is a brief muscle contraction followed by relaxation that occurs in response to a single stimulus.
- A **threshold stimulation** is the smallest amount of stimulation that will result in a contraction.



Give a stimulus above the threshold at low frequency



# Components of muscle twitch

## Latent period


- The time between the application of the stimulus and the beginning of contraction.
- During the latent period, the action potential sweeps over the sarcolemma and calcium ions are released from the sarcoplasmic reticulum.

## Contraction period:

- When the tension starts to increase till maximum tension is achieved.
- During this time, calcium ions bind to troponin, myosin-binding sites on actin are exposed, and cross-bridges form.

## Relaxation period:

- When the tension starts to decrease till it returns to baseline.
- Calcium ions are actively transported back into the sarcoplasmic reticulum, myosin-binding sites are covered by tropomyosin, myosin heads detach from actin, and tension in the muscle fiber decreases.




# Summation


- Summation is used to increase the intensity of overall muscle contraction.
- Summation occurs in two ways:
  1. Multiple fiber summation: by increasing the number of motor units contracting simultaneously. This is achieved by increasing the stimulus strength
  2. Frequency summation: by increasing the frequency of stimulation leading to an overlap between successive muscle twitches. It is achieved by increasing the frequency of stimulation
    - ✓ Can lead to tetanization

# Multiple fiber summation(Recruitment)

- Increasing the stimulus strength (voltage) will lead to Multiple fiber summation.
- Occurs by increasing the number of motor units contracting simultaneously








# Frequency Summation

- The increase in tension observed in frequency summation happens because a muscle fiber is unable to fully relax between twitches (due to presence of calcium in the muscle sarcoplasm), the new contraction is partially added to the previous one resulting in higher tension (stronger contraction)
- The overall concentration of Calcium in the muscle sarcoplasm becomes higher with each successive stimulation

# Frequency (Wave) Summation

Contractile activity




# Incomplete tetanization

- Unfused (incomplete) tetanization is a sustained but wavering contraction.
- Occurs When a skeletal muscle fiber is stimulated at a high rate, so it can only partially relax between stimuli.

# Complete tetanization

- Fused (complete) tetanization, a sustained contraction in which individual twitches can't be detected.
- Occurs when a skeletal muscle fiber is stimulated at a very high rate, so it does not relax at all between stimuli.
- The maximum tension a muscle can generate is reached.
- Any additional increase in frequency beyond that point has no further effect on increasing the muscle's tension.
- It occurs because enough calcium ions are maintained in the muscle sarcoplasm so that full contractile state is sustained.

# Tetanzation



Smooth, sustained voluntary muscle contractions are achieved mainly by asynchronous unfused tetanus.


# Fatigue

- Fatigue is a decline in the ability of the muscle to respond to stimulation, occurs after prolonged and strong contraction.
- On the graph it is depicted as a drop in tension **despite continued stimulation**

Why does fatigue happen?

1. Inability of the contractile and metabolic processes of the muscle fibers to continue supplying the same work output. (Depletion of glycogen, accumulation of end products)
2. Diminished transmission at the neuromuscular junction. (Depletion of acetylcholine)
3. Interruption of blood flow which leads to loss of nutrient supply, especially loss of oxygen.

# Fatigue






# Treppe effect

- Treppe effect happens when a muscle begins to contract after a long period of rest, its strength of contraction will gradually increase with every successive stimulus till a maximum response is reached.
- It is believed to be caused by:
  1. The rise in muscle temperature.
  2. Increased concentration of calcium ions in the cytosol
  3. The enhanced blood flow

# Treppe Effect



**Treppe**