
(وما أوتيتم من العلم إلا قليلا)

# Past papers



#### Opioid that is used in labour and has less stress on fetus:

- A. Meperidine
- **B.** Fentanyl
- C. Methadone
- D. Morphine
- E. Naloxone

**Answer: A** 

## Which of the following drugs treats difficult-to-treat pain, especially when morphine fails?

- A. Fentanyl
- **B.** Meperidine
- C. Oxycodone
- D. Methadone
- E. All of the above

**Answer: D** 

Why don't we give naloxone to opioid addictive?

- A. Addictive has high drug metabolic activity
- **B.** Addictive has less receptors
- C. Naloxone is not an antidote
- D. Addictive has increased receptors
- E. None of the above

**Answer: B** 

160. which of the following morphine effect is not subjected to tolerance with long-term usage?

- A) Analgesia.
- B) Respiratory depression
- C) Euphoria
- D) Relaxation and sleep
- E) Constipation

**ANSWER: E** 

161. which of the following narcotic is the most suitable drug to reduce intraoperation pain?

- A) Fentanyl.
- B) Morphine
- C) Codeine
- D) Hydromorphone
- E) Tramadol

**ANSWER: A** 

## **Anxiolytics**

## Which of the following agent is preferring to be used in terminating status epilepticus?

- A. Flumazinel
- **B.** Gabapentin
- C. Diazepam
- D. Hydromorphine
- **E. Tramadol**

**Answer: C** 

## Which of the following drug enhances the action of GABA?

- A. Dantrolene
- B. Baclofen
- C. Benzodiazepines

159. hangover on awakening is a side-effect that linked more with which of the following agents?

- A) Temazepam
- B) Triazolam
- C) Buspirone
- D) Zolpidem
- E) Flurazepam

**ANSWER: E** 

162. which of the following agent is preferring to be used in terminating status epilepticus?

- A) Flumazinel
- B) Gabapentin
- C) Diazepam
- D) Hydromorphone
- E) Tramadol

**ANSWER: C** 

#### Dose dependent effect?

- A. Suvorexant
- **B.** Buspirone
- C. Ramelteon
- D. None of the above

**Answer: A** 

#### تم بحمد الله 🚭 🍑

لا تنسوني من صالح دعواتكم